

QRAIL TILT: QMADM-9 LOW EDGE MOUNT WITH 10 DEGREE TILT

VARIABLES	PORTRAIT		LANDSCAPE
	60 CELL	72 CELL	60 & 72 CELL
LOW EDGE MOUNT	QMADM-9	QMADM-9	QMADM-9
RAISED EDGE MOUNT	QMADM-17	QMADM-17	QMADM-14
SPACING (IN.)	46	46	28
MODULE CANTILEVER (IN.)	9.16	15.66	5.78
RAISED EDGE RAIL OFFSET FROM CENTER OF VERTICAL ADJUSTMENT (IN.)	+0.11	+0.11	-0.06
LOW EDGE HEIGHT ABOVE ROOF (IN.)	11.34	10.21	11.93
RAISED EDGE ABOVE ROOF (IN.)	22.63	23.76	18.87




TITLE:
QRAIL TILT: QMADM-9 LOW EDGE MOUNT WITH 10 DEGREE TILT

UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES
 TOLERANCES:
 FRACTIONAL $\pm 1/8$
 TWO PLACE DECIMAL $\pm .19$
 THREE PLACE DECIMAL $\pm .094$

SIZE A	DRAWN BY: AAP	REV 1
	DATE: 4/24/2019	
SCALE: 1:9	WEIGHT: 83.75	SHEET 1 OF 1




QRAIL TILT: QMQDM-9 LOW EDGE MOUNT WITH 5 DEGREE TILT			
VARIABLES	PORTRAIT		LANDSCAPE
	60 CELL	72 CELL	60 & 72 CELL
LOW EDGE MOUNT	QMQDM-9	QMQDM-9	QMQDM-9
RAISED EDGE MOUNT	QMQDM-13	QMQDM-13	QMQDM-11.5
SPACING (IN.)	46	46	28
MODULE CANTILEVER (IN.)	9.41	15.91	5.94
RAISED EDGE RAIL OFFSET FROM CENTER OF VERTICAL ADJUSTMENT (IN.)	+0.02	+0.02	-0.05
LOW EDGE HEIGHT ABOVE ROOF (IN.)	12.09	11.52	12.39
RAISED EDGE ABOVE ROOF (IN.)	17.76	18.32	15.88



TITLE:
QRAIL TILT: QMQDM-9 LOW EDGE MOUNT WITH 5 DEGREE TILT

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL $\pm 1/8$ TWO PLACE DECIMAL $\pm .19$ THREE PLACE DECIMAL $\pm .094$	SIZE	DRAWN BY: AAP	REV
	A	DATE: 4/24/2019	1
	SCALE: 1:8	WEIGHT: 83.56	SHEET 1 OF 1



QRAIL TILT: QMQDM-7 LOW EDGE MOUNT WITH 10 DEGREE TILT			
VARIABLES	PORTRAIT		LANDSCAPE
	60 CELL	72 CELL	60 & 72 CELL
LOW EDGE MOUNT	QMQDM-7	QMQDM-7	QMQDM-7
RAISED EDGE MOUNT	QMQDM-15	QMQDM-15	QMQDM-12
SPACING (IN.)	46	46	28
MODULE CANTILEVER (IN.)	9.16	15.66	5.78
RAISED EDGE RAIL OFFSET FROM CENTER OF VERTICAL ADJUSTMENT (IN.)	+0.11	+0.11	-0.06
LOW EDGE HEIGHT ABOVE ROOF (IN.)	9.34	8.21	9.93
RAISED EDGE ABOVE ROOF (IN.)	20.63	21.76	16.87


Quick Mount PV[®]

TITLE:
QRAIL TILT: QMQDM-7 LOW EDGE MOUNT WITH 10 DEGREE TILT

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL $\pm 1/8$ TWO PLACE DECIMAL $\pm .19$ THREE PLACE DECIMAL $\pm .094$	SIZE A	DRAWN BY: AAP	REV 1
	SCALE: 1:8	DATE: 4/24/2019	WEIGHT: 83.55

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF QUICK MOUNT PV. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF QUICK MOUNT PV IS PROHIBITED. COPYRIGHT © 2016 QUICK MOUNT PV

DO NOT SCALE DRAWING




QRAIL TILT: QMQDM-7 LOW EDGE MOUNT WITH 5 DEGREE TILT			
VARIABLES	PORTRAIT		LANDSCAPE
	60 CELL	72 CELL	60 & 72 CELL
LOW EDGE MOUNT	QMQDM-7	QMQDM-7	QMQDM-7
RAISED EDGE MOUNT	QMQDM-11	QMQDM-11	QMQDM-9.5
SPACING (IN.)	46	46	28
MODULE CANTILEVER (IN.)	9.41	15.91	5.94
RAISED EDGE RAIL OFFSET FROM CENTER OF VERTICAL ADJUSTMENT (IN.)	+0.02	+0.02	-0.05
LOW EDGE HEIGHT ABOVE ROOF (IN.)	10.09	9.52	10.39
RAISED EDGE ABOVE ROOF (IN.)	15.76	16.32	13.88

Quick Mount PV[®]

TITLE:
QRAIL TILT: QMQDM-7 LOW EDGE MOUNT WITH 5 DEGREE TILT

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± 1/8 TWO PLACE DECIMAL ±.19 THREE PLACE DECIMAL ±.094	SIZE	DRAWN BY: AAP	REV
	A	DATE: 4/24/2019	1
SCALE: 1:8	WEIGHT: 83.36	SHEET 1 OF 1	



QRAIL TILT: QMQDM-5 LOW EDGE MOUNT WITH 10 DEGREE TILT			
VARIABLES	PORTRAIT		LANDSCAPE
	60 CELL	72 CELL	60 & 72 CELL
LOW EDGE MOUNT	QMQDM-5	QMQDM-5	QMQDM-5
RAISED EDGE MOUNT	QMQDM-13	QMQDM-13	QMQDM-10
SPACING (IN.)	46	46	28
MODULE CANTILEVER (IN.)	9.16	15.66	5.78
RAISED EDGE RAIL OFFSET FROM CENTER OF VERTICAL ADJUSTMENT (IN.)	+0.11	+0.11	-0.06
LOW EDGE HEIGHT ABOVE ROOF (IN.)	7.34	6.21	7.93
RAISED EDGE ABOVE ROOF (IN.)	18.63	19.76	14.87


Quick Mount PV

TITLE:
QRAIL TILT: QMQDM-5 LOW EDGE MOUNT WITH 10 DEGREE TILT

UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES
 TOLERANCES:
 FRACTIONAL ± 1/8
 TWO PLACE DECIMAL ±.19
 THREE PLACE DECIMAL ±.094

SIZE A	DRAWN BY: AAP	REV 1
	DATE: 4/24/2019	
SCALE: 1:8	WEIGHT: 83.36	SHEET 1 OF 1




QRAIL TILT: QMQDM-5 LOW EDGE MOUNT WITH 5 DEGREE TILT			
VARIABLES	PORTRAIT		LANDSCAPE
	60 CELL	72 CELL	60 & 72 CELL
LOW EDGE MOUNT	QMQDM-5	QMQDM-5	QMQDM-5
RAISED EDGE MOUNT	QMQDM-9	QMQDM-9	QMQDM-7.5
SPACING (IN.)	46	46	28
MODULE CANTILEVER (IN.)	9.41	15.91	5.94
RAISED EDGE RAIL OFFSET FROM CENTER OF VERTICAL ADJUSTMENT (IN.)	+0.02	+0.02	-0.05
LOW EDGE HEIGHT ABOVE ROOF (IN.)	8.09	7.52	8.39
RAISED EDGE ABOVE ROOF (IN.)	13.76	14.32	11.88



TITLE:
QRAIL TILT: QMQDM-5 LOW EDGE MOUNT WITH 5 DEGREE TILT

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± 1/8 TWO PLACE DECIMAL ±.19 THREE PLACE DECIMAL ±.094	SIZE	DRAWN BY: AAP	REV
	A	DATE: 4/24/2019	1
SCALE: 1:8	WEIGHT: 83.16	SHEET 1 OF 1	



QRAIL TILT: QMQDM-3.75 LOW EDGE MOUNT WITH 10 DEGREE TILT			
VARIABLES	PORTRAIT		LANDSCAPE
	60 CELL	72 CELL	60 & 72 CELL
LOW EDGE MOUNT	QMQDM-3.75	QMQDM-3.75	QMQDM-3.75
RAISED EDGE MOUNT	QMQDM-12	QMQDM-12	QMQDM-8.75
SPACING (IN.)	46	46	28
MODULE CANTILEVER (IN.)	9.13	15.63	5.78
RAISED EDGE RAIL OFFSET FROM CENTER OF VERTICAL ADJUSTMENT (IN.)	-0.14	-0.14	-0.06
LOW EDGE HEIGHT ABOVE ROOF (IN.)	6.09	4.96	6.68
RAISED EDGE ABOVE ROOF (IN.)	17.38	18.51	13.62


Quick Mount PV

TITLE:
QRAIL TILT: QMQDM-3.75 LOW EDGE MOUNT WITH 10 DEGREE TILT

UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES
 TOLERANCES:
 FRACTIONAL ± 1/8
 TWO PLACE DECIMAL ±.19
 THREE PLACE DECIMAL ±.094

SIZE A	DRAWN BY: AAP	REV 1
	DATE: 4/24/2019	
SCALE: 1:8	WEIGHT: 83.24	SHEET 1 OF 1



QRAIL TILT: QMQDM-3.75 LOW EDGE MOUNT WITH 5 DEGREE TILT			
VARIABLES	PORTRAIT		LANDSCAPE
	60 CELL	72 CELL	60 & 72 CELL
LOW EDGE MOUNT	QMQDM-3.75	QMQDM-3.75	QMQDM-3.75
RAISED EDGE MOUNT	QMQDM-7.75	QMQDM-7.75	QMQDM-6.25
SPACING (IN.)	46	46	28
MODULE CANTILEVER (IN.)	9.41	15.91	5.94
RAISED EDGE RAIL OFFSET FROM CENTER OF VERTICAL ADJUSTMENT (IN.)	+0.02	+0.02	-0.05
LOW EDGE HEIGHT ABOVE ROOF (IN.)	6.84	6.27	7.14
RAISED EDGE ABOVE ROOF (IN.)	12.51	13.07	10.63



TITLE:
QRAIL TILT: QMQDM-3.75 LOW EDGE MOUNT WITH 5 DEGREE TILT

UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES
 TOLERANCES:
 FRACTIONAL ± 1/8
 TWO PLACE DECIMAL ±.19
 THREE PLACE DECIMAL ±.094

SIZE A	DRAWN BY: AAP	REV 1
	DATE: 4/24/2019	
SCALE: 1:8	WEIGHT: 83.03	SHEET 1 OF 1